

Respiratory and odour protection

Surgical face mask with earloop, 3-layer

fleece, shapeable and integrated nose clip, latex free, bacteria filter capacity 99%

Art. No.	Description	Unit
54080	grey, activated carbon filter against unpleasant odours	50 units 1 box
48164	green, EN 14683 type II	50 units 1 box
54925	blue, EN 14683 type IIR	50 units 1 box
51222	blue, EN 14683 type II	50 units 1 box

Disposable respiratory mask FFP1, protection against fine dusts and liquid aerosols, up to 4 times of the threshold limit value (TLV), EN 149:2001+ A1:2009

Art. No.	Description	Unit
55394	Dura-Mesh shell mask, wrap around ribbon	20 units 1 package
50550	with Cool Flow™ exhalation valve, nose pad, activated carbon layer, against unpleasant odours, (9914 by 3M™)	10 units 1 package

Disposable respiratory mask FFP2, protection against fine dusts and liquid aerosols, up to 10 times of the threshold limit value (TLV), EN 149:2001+ A1:2009

Art. No.	Description	Unit
48103	nose pad, (8810 by 3M™)	20 units 1 package
48104	individually packed, foldable design, triple foldable, chin strap, nose pad, (9320 by 3M™)	20 units 1 package
54483	individually packed, foldable design, liquid-repellent	20 units 1 package
50127	with exhalation valve, individually packed, foldable design, liquid-repellent	20 units 1 package
55395	with climate exhalation valve, individually packed Dura-Mesh shell mask, wrap around ribbon	16 units 1 package
52078	with Cool Flow™ exhalation valve, individually packed, foldable design, triple foldable, chin strap, nose pad, (9322+ by 3M™)	10 units 1 package
48105	with Cool Flow™ exhalation valve, sealing lip all around, high filter performance, M-shape nose clip, (8822 by 3M™)	10 units 1 package
55392	with climate exhalation valve and activated-coal filter, Dura-Mesh shell mask, wrap around ribbon, with clip for easy take on and off, pre-moulded nose zone with sealing lip up to 10-fold MAK value for particles, protection against unpleasant, harmless, organic smells	10 units 1 package
48110	with CoolMAX™ exhalation valve and activated carbon layer against unpleasant odours, individually packed, foldable design, size adjustable straps, high filter performance, soft inside fleece, nose pad, liquid-repellent, (X-plore™ 1720 Dräger)	10 units 1 package

Disposable respiratory mask Air FFP2 NR D

low respiratory resistance by special folded filter construction, individually packed Dura-Mesh moulded mask, all-around strip with clip for easy taking on and off, pre-moulded nose area with sealing lip, up to 10 fold MAK value for particles, 2-way protection, protects wearer and environment, CE, EN 149:2001 + A1:2009, type IIR, EN 14683:2014

Art. No.	Description	Unit
55398	Size S	10 units 1 package
55397	Size L/M	10 units 1 package



13

Protective equipment



Disposable respiratory mask FFP3

protection against fine dusts and liquid aerosols, up to 30 times of the threshold limit value (TLV), EN 149:2001+ A1:2009

Art. No.	Description	Unit	
49909	individually packed, foldable design, liquid-repellent, protection against viruses and bacteria	30 units	1 package
55396	with climate exhalation valve, individually packed Dura-Mesh shell mask, wrap around ribbon	16 units	1 package
53462	with exhalation valve,individually packed, foldable design, up to a 50 times TLV (threshold limit value), size adjustable 4-point straps, all around sealing lip, high filter performance	5 units	1 package
51133	with exhalation valve, individually packed, foldable design, liquid-repellent	20 units	1 package
55393	with climate exhalation valve and activated-coal filter, Dura-Mesh shell mask, wrap around ribbon with clip for easy take on and off, pre-moulded nose zone with sealing lip up to 30-fold MAK value for particles, protection against	10 units	1 package
48106	with Cool Flow™ exhalation valve, individually packed, foldable design, triple foldable, chin strap, nose pad, (9332+ by 3M™)	10 units	1 package

Disposable respiratory mask Air FFP3 NR D

low respiratory resistance by special folded filter construction, individually packed Dura-Mesh moulded mask, all-around strip with clip for easy taking on and off, pre-moulded nose area with sealing lip, up to 30 fold MAK value for particles, 2-way protection, protects wearer and environment, EN 149:2001 + A1:2009, type IIR, EN 14683:2014

Art. No.	Description	Unit	
55400	Size S	10 units	1 package
55399	Size L/M	10 units	1 package

Respiratory mask FFP3, reusable

protection against fine dusts and liquid aerosols up to 30 times of the threshold limit value (TLV), EN 149:2001+ A1:2009

Art. No.	Description	Unit	
53461	with exhalation valve, individually packed, foldable design, size adjustable, high filter performance, nose pad	15 units	1 package
48108	with Cool Flow™ exhalation valve, size adjustable 4 point straps, all around sealing lip, high filter capacity, preformed nose area, (8835 by 3M™)	5 units	1 package

Respiratory mask FFP3, reusable,

Respiratory mask FFP3 (FFA1P3D) R D with valve, (4255 by 3M) with 2 wide-area activated-coal inhalation and exhalation valves, half mask, size adjustable 4 point straps, reusable, maintenance-free, up to 30 times of the TLV (threshold limit value) for particles, organic gases, fumes and dust, protection against unpleasant, organic smells, CE, EN 405:2001+ A1:2009

Art. No.	Description	Unit
51313	FFP2 (FFA1P2) (4251 by 3M™)	1 unit
54172	FFP3 (FFA1P3D) (4255 by 3M™)	1 unit

Half mask Line 6000 by 3M™, reusable, protection against gases/vapours and/or particles by an additional fine-dust filter, soft, lightweight anti-allergic silicone mask body, wide field of view, double filter system, with wide filter range combinable, 4 point straps, integrated communication membrane for a good speech quality, bayonet click connector, CE label, EN 140

Art. No.	Description	Unit
53379	Half mask 6200 size M	1 unit
54439	Half mask 6300 size L	1 unit
54557	Filter adapter 3M 603 for half mask	1 unit
53611	Filter 5935 P3R particle filter, up to 30 times of TLV (threshold limit value)	2 units 1 package
52729	Filter retainer 501 for fine dust prefilters	2 units 1 package
52728	Cartridge filter 6051 A1 against organic gasses and vapours up to 10 times TLV (threshold limit value)	2 units 1 package
53598	Gas and vapour filter 6059 ABEK1 protects against organic vapours, inorganic and acid gases and ammonia, derivatives, up to 10 times of TLV (threshold limit value)	2 units 1 package

Protective gloves

Police gloves Profi, black, is made of Chamoude® synthetic leather from palm to fingertips, with CPN-Mesh in the protection zone for raids, silicone combs for a better grip, reinforced thumb, back of the hand is made of Kevlar® fabric, cut, puncture and stitch resistant
EN 420:2003, EN 388:2016 (2X21F) ASTM F2878-10, CE Cat. II

Art. No.	Description	Unit
51733	Size M (9)	1 pair
52229	Size L (10)	1 pair
52230	Size XL (11)	1 pair
54085	Size XXL (12)	1 pair

Riot gloves Profi 1, black, made of nylon 40%, genuine leather 30%, polyethylene 30%, cut resistant liner made of Kevlar® on the inside of palm and fingers, very sensitive, hard-wearing, breathable, touch screen function with loop fastener, EN 388 (2232)

Art. No.	Description	Unit
53476	Size M	1 pair
53477	Size L	1 pair
53478	Size XL	1 pair

Riot gloves Profi 2, black, made of synthetic leather 50%, synthetic fibre 50%, highest possible cut protection category through cut resistant liner made of ARMOR-TEX® on the inside of palm and fingers, very hard-wearing, air-permeable, touch screen function, with loop fastener, EN 388 (2X44F)

Art. No.	Description	Unit
53479	Size M	1 pair
53480	Size L	1 pair
53481	Size XL	1 pair

Stabbing protection gloves, Picguard Urban, black with polyurethane/ceramic coating, protection inside is made of para-aramid, inner lining made of Jersey viscous, structured surface, good grip, EN 420, EN 388 (4543), ASTM 2878

Art. No.	Description	Unit
55112	Size M	1 pair
55113	Size L	1 pair
55114	Size XL	1 pair



Protective equipment



Cut resistant gloves PU, made of HPPE fibre grey, PU coating black, back of hand uncoated, with knitted waistband, 24cm (L), EN 388 (4543), EN 420, CE

Art. No.	Description	Unit
55170	Size S	1 pair
52390	Size M	1 pair
52391	Size L	1 pair
52392	Size XL	1 pair

Work gloves

Art. No.	Description	Unit
48114	Size 8-10, PVC dotted on both sides EN 388, Cat. II	1 pair
51030	Size 10 cowhide leather EN 388 (3243)	1 pair
48115	Size 10.5 pigskin leather EN 388, EN 420, Cat. II	1 pair
48117	Size 10 sheepskin with cotton back, thumb made of leather	1 pair

Cotton gloves SK seamless, natural coloured, easy to stretch, EN 388 cat. II

Art. No.	Description	Unit
51661	Size 7	1 pair
51689	Size 9	1 pair

Cotton gloves, two-sided wearable, raw white, washable, cat. I

Art. No.	Description	Unit
53738	Size S, not seamed	25cm (L) 1 pair
53736	Size L, not seamed	25cm (L) 1 pair
53737	Size XL, not seamed	25cm (L) 1 pair
48121	Size L-XL, long, with seam	35cm (L) 1 pair

Latex gloves

Latex disposable gloves, powder-free, hypoallergenic, with beaded cuff, natural latex rubber, micro-roughened surface, non-sterile, EN 455, AQL 1.5

Art. No.	Description	Unit
48133	Size S (6-7)	100 units 1 package
48134	Size M (7-8)	100 units 1 package
48135	Size L (8-9)	100 units 1 package
48136	Size XL (9-10)	100 units 1 package
48132	Size XXL (10-11)	100 units 1 package
51162	Size S (6-7) Unigloves comfort	100 units 1 package
51163	Size M (7-8) Unigloves comfort	100 units 1 package
51164	Size L (8-9) Unigloves comfort	100 units 1 package
51165	Size XL (9-10) Unigloves comfort	100 units 1 package
52901	Size S (6-7) Aloe Vera coated	100 units 1 package
52902	Size M (7-8) Aloe Vera coated	100 units 1 package
52903	Size L (8-9) Aloe Vera coated	100 units 1 package
52904	Size XL (9-10) Aloe Vera coated	100 units 1 package

sterile, powder-free, hypoallergenic, packed in pairs, EN 455, EN 556-1, AQL 1.5

Art. No.	Description	Unit
50574	Size S-M (7)	1 pair
50575	Size M-L (8)	1 pair
49876	Size L-XL (8.5)	1 pair
	all sizes for a quantity of	50 pairs 1 pair
	all sizes for a quantity of	100 pairs 1 pair

Protective gloves Combi-Latex, long,

highly resistant against numerous acids and alkalines. Suitable for harsh mechanical conditions, puncture resistant, long cuffs, roughened, free of allergenic substances like thiurames and thioureas, EN 374, EN 388, cat. III

Art. No.	Description	Unit
48123	Size 9	1 pair

Nitrile gloves

Nitrile disposable gloves, powder-free, with rolled cuffs, roughened surface, 25cm (L), non-sterile, EN 420, EN 455, EN 374, AQL 1.5, cat. III

Art. No.	Description	Unit
50314	Size S (7), blue	100 units 1 package
50315	Size M (8), blue	100 units 1 package
50316	Size L (9), blue	100 units 1 package
50317	Size XL (10), blue	100 units 1 package
50318	Size XXL (11), blue	100 units 1 package
51493	Size L (9), black	100 units 1 package
51734	Size XL (10), black	100 units 1 package

Nitrile disposable gloves Touch N Tuff, green, powder-free, with rolled cuffs, smooth surface, non-sterile, EN 420, EN 374, AQL 1.5, cat. III

Art. No.	Description	Unit
51013	Size S (6-7) 24cm (L)	100 units 1 package
51014	Size M (7-8) 24cm (L)	100 units 1 package
51015	Size L (8-9) 24cm (L)	100 units 1 package
51016	Size XL (9-10) 24cm (L)	100 units 1 package
52468	Size S (6-7) 30cm (L) long	100 units 1 package
52469	Size M (7-8) 30cm (L) long	100 units 1 package
52470	Size L (8-9) 30cm (L) long	100 units 1 package
52471	Size XL (9-10) 30cm (L) long	100 units 1 package

Nitrile disposable gloves Safegrip®, blue powder-free, with rolled cuffs, structured surface, 25cm (L), non-sterile, EN 455, EN 374, AQL 0.65, cat. III

Art. No.	Description	Unit
48142	Size S (6-7)	100 units 1 package
48143	Size M (7-8)	100 units 1 package
48144	Size L (8-9)	100 units 1 package
48145	Size XL (9-10)	100 units 1 package

Nitrile disposable gloves Microflex®, blue, powder-free, with rolled cuffs, textured fingers, ergonomics certificate, reduced tiring of the hand, lightweight, increased touch sensitivity, durable, antistatic, 24cm (L), non-sterile EN 420, EN 388, EN 421, EN 374 (KPT), AQL 0.65, cat. III

Art. No.	Description	Unit
53918	Size S (7)	250 units 1 package
53919	Size M (8)	250 units 1 package
53920	Size L (9)	250 units 1 package
53921	Size XL (10)	250 units 1 package



30cm (L)



13



48118, 52746

50588, 48119



Nitrile disposable chemical gloves Dermatril®, blue, powder-free, with rolled cuffs, roughened fingertips, thickness 0.11mm, 24-26cm (L), non-sterile, EN 374, AQL 0.65, cat. III.

Suitable for operating with ninhydrin und cyanoacrylate

Art. No.	Description	Unit
48149	Size S (7)	100 units 1 package
48150	Size M (8)	100 units 1 package
47576	Size L (9)	100 units 1 package
48151	Size XL (10)	100 units 1 package

Nitrile disposable chemical gloves Dermatril P®, blue, powder-free, with rolled cuffs, roughened fingertips, thickness 0.2mm, 27-29cm (L), non-sterile, EN 374 (J,k,L), AQL 0.65, cat. III. Suitable for operating with ninhydrin und cyanoacrylate.

Art. No.	Description	Unit
52472	Size S (7)	50 units 1 package
52473	Size M (8)	50 units 1 package
52474	Size L (9)	50 units 1 package
52475	Size XL (10)	50 units 1 package
53460	Size XXL (11)	50 units 1 package

Nitrile disposable gloves, DNA-free, EO-treated, powder-free, with rolled cuffs, structured fingertips, 30cm (L), packed in pairs sterile, EN 420, EN 374, AQL 1.5

Art. No.	Description	Unit
51702	Size S (6-7)	1 pair
51703	Size M (7-8)	1 pair
51704	Size L (8-9)	1 pair
51705	Size XL (9-10)	1 pair

Nitrile coated work gloves, EN 388, EN 420, cat. II

Art. No.	Description	Unit
48118	Size 9 blue, back of hand is partly coated with canvas cuff, EN 511	1 pair
52746	Size 10 blue, back of hand is partly coated with canvas cuff, EN 511	1 pair
50588	Size 9 yellow, fully coated with knitted cuff	1 pair
48119	Size 10 yellow, fully coated with knitted cuff	1 pair

Vinyl disposable gloves, powder-free, non-sterile, with rolled cuff, EN 455, AQL 1.5

Art. No.	Description	Unit
48154	Size M (7-8)	100 units 1 package
48155	Size L (8-9)	100 units 1 package
48156	Size XL (9-10)	100 units 1 package

Caoutchouc chemical protective gloves Vitoject 890, black, powdered inside, with rolled edge, smooth surface, non-sterile, a high protection against extremely aggressive and poisonous chemicals, very high gas tightness, solvent-free, EN 374 (D,F,G), EN 388 (3101), category III, AQL 0.65

Art. No.	Description	Unit
52479	Size M	1 pair
52480	Size L	1 pair
52481	Size XL	1 pair

Stainless steel multi dispenser with wall mounting material, can take up to three boxes of disposable gloves.

Art. No.	Description	Unit
52439	Inner dimensions 380 x 253 x 94mm (HxWxD)	1 unit

Overshoes with elastic band**Overshoes PE**, blue, moisture repellant, hammered surface, CE, class 1

Art. No.	Description	Unit
48165	Dimensions 15 x 36cm (WxL)	50 pairs 1 package
52782	Dimensions 15 x 41cm (WxL)	50 pairs 1 package

Overshoes PP fleece, white, with sole PE blue, slip resistant, PPE cat. I

Art. No.	Description	Unit
51810	Dimensions 15 x 41cm (WxL), with sole	25 pairs 1 package
	for a quantity of	10 packages 1 package

Overshoes PP fleece, white, antistatic, slip resistant, laminated, hammered surface, CE, PPE cat. I

Art. No.	Description	Unit
51136	Dimensions 17 x 42cm (WxL)	25 pairs 1 package

Overshoes Surestep Microgard/Alphatec®, white, antistatic, extra slip resistant, liquid repellent, lint-free, Type 5 EN ISO 13982-1, Type 6 EN 13034, EN 14126, EN1149-1, EN 1073-2, DIN 32781

Art. No.	Description	Unit
50264	Size 42-46	25 pairs 1 package

Overshoes M2500 Microgard/Alphatec®, PP laminate, white, antistatic, bound seams, Type 5 and 6, EN 13034, EN 14126, EN 1149-1, EN 1073-2, DIN 32781, PPE cat. I

Art. No.	Description	Unit
52456	Size 42-46	1 pair

Overshoes Tyvek®, white, stitched internal seams, PPE cat. I

Art. No.	Description	Unit
48166	Dimensions 21 x 40cm (WxL)	10 pairs 1 package
53466	Size 42-46, with sole	1 package

Overshoes PE, transparent, water-repellent, hammered surface

Art. No.	Description	Unit
47506	Dimensions 39 x 35cm (LxH)	10 pairs 1 package

Overboots M2500 Microgard/Alphatec®, PP laminate, white, with ESC PVC sole, antistatic, slip resistant, bound seams, closure patch and heel strap for size adjustment, Type 5 EN ISO 13982-1, Type 6 EN 13034, EN 14126, EN 1149-1, EN 1073-2, DIN 32781, PPE cat. I

Art. No.	Description	Unit
52446	Size 42-46, with sole	1 pair
52731	Size 42-46, with reinforced sole and blue seams	1 pair

Overboots Tyvek®, white, with PVC sole, antistatic, slip resistant, with closure patch, PPE cat. I

Art. No.	Description	Unit
50231	Dimensions 42 x 48cm (LxH), with sole	10 pairs 1 package

Knee protection pad made of polyurethane, box shape, DIN EN 14404 level 2

Art. No.	Description	Unit
49435	Knee protection pad (for one knee)	40mm (W) 1 unit





Further protective equipment

Protective goggles standard, covering for eye zone, made of polycarbonate, scratch-proof, anti-fog, antistatic, wide temples, indirect ventilation through temples with integrated fins, filter type 2c-1,2, EN 166, 1-FT, CE

Art. No.	Description	Unit
48113	Protective goggles, standard	1 unit

Protective goggles Comfort, covering for eye zone, made of polycarbonate, scratch-proof, anti-fog, antistatic, adjustable temples, with strap, filter type 2c-1,2, EN 166, 1-FT, EN 170, CE

Art. No.	Description	Unit
51132	Protective goggles, comfort	1 unit

Protective goggles with ventilation, full sight with ventilation, made of PVC, polycarbonate lens, scratch-proof, anti-fog, antistatic, with adjustable strap, EN 166, CE, cat. II

Art. No.	Description	Unit
49703	Protective goggles with ventilation	1 unit

Face shield with carrier, made of polycarbonate, scratch-proof, anti-fog, antistatic, robust adjustable head band, EN 166, 1-F, CE

Art. No.	Description	Unit
52430	Face shield with carrier	1 unit

Cap made of breathable non-woven fabric, with strap

Art. No.	Description	Unit
48163	green, 10g/m ²	100 units 1 package
53904	white, 10g/m ²	100 units 1 package
53905	white, 16g/m ²	50 units 1 package

Disposable lab coat PE, white, knee-length with buttons, universal size

Art. No.	Description	Unit
48161	Disposable lab coat	1 unit
	for a quantity of	10 units 1 unit
	for a quantity of	100 units 1 unit

Disposable apron PE, white, antistatic, tear-proof, 125 x 75cm

Art. No.	Description	Unit
48162	Disposable apron	1 package
	for a quantity of	3 packages 1 package

Disposable lab coat PP, spunbonded fabric, air permeable, white, knee-length, with buttons and collar, individually packed

Art. No.	Description	Unit
52431	Size S	1 unit
52608	Size M	1 unit
52609	Size L	1 unit
52610	Size XL	1 unit
52611	Size XXL	1 unit

Disposable medical clothing, Microgard®, protects against viruses, antistatic, lint-free, touch fastener at the back, elastic band on the wrist, lap-felled seam, EN 1149, cat. III, Type P

Art. No.	Description	Unit
50323	Size L	1 unit
50324	Size XL	1 unit

Disposable coverall, with hood, type 5 and 6

protection against dangerous to health fine dusts and splashes of liquid chemicals. Particle-tight, antistatic, very breathable, abrasion-free and lint-free, double zipper with cover elastic band at back, back, arm and leg rubber, hood with elastic waistband, colour: light grey, type 5 EN ISO 13982, type 6 EN 13034, EN 340, EN 1149-5, EN 13034, CE 0121, Cat. III

Art. No.	Description	Unit
54487	Size M	1 unit
54481	Size L	1 unit
54488	Size XL	1 unit
54486	Size XXL	1 unit

Disposable coverall Standard, with hood, type 5 and 6

protects against harmful fine dust and splashes of liquid chemicals, particle-tight, antistatic, breathable, abrasion-proof and lint-free, 2-way zipper with adhesive cover flap, elasticated back, cuffs and ankles, with elastic hood, colour: white, type 5 EN ISO 13982, type 6 EN 13034, EN 340, EN 1149-5, EN 1073, EN 13034, CE 0121, cat. III

Art. No.	Description	Unit
51100	Size M	1 unit
50229	Size L	1 unit
50230	Size XL	1 unit
50246	Size XXL	1 unit
50247	Size XXXL	1 unit

Disposable coverall M2000 Standard Microgard, type 5-B, 6-B

protects against infectious agents of the highest performance class and harmful fine dusts and splashes of liquid chemicals, particle and virus tight, antistatic, breathable, abrasion-free and lint-free, double zipper with cover elastic band at back, waist, hand and foot rubber, 2-piece hood with elastic band, lap-felled seam for excellent seam strength, thumb loops, colour: white type 5 EN ISO 13982-1(&2), type 6 EN 13034, EN 14126, EN 1073-2, EN 1149-5, DIN 32781, Cat. III

Art. No.	Description	Unit
54624	Size S	1 unit
54625	Size M	1 unit
54626	Size L	1 unit
54627	Size XL	1 unit
54628	Size XXL	1 unit
54629	Size XXXL	1 unit

Disposable coverall M2000 SOCO Microgard® with hood, type 5-B and 6-B

protects against infectious agents of the highest performance class, harmful fine dust and splashes of liquid chemicals, particle-tight, antistatic, breathable, abrasion-proof and lint-free, 2-way zipper with adhesive cover flap, elasticated cuffs and ankles, elasticated waist, 2-piece elastic hood, lap-felled seam, chinstrap, dual finger loops, 2 self-adhesive pockets, colour: white type 5-B EN ISO 13982-1(&2), type 6-B EN 13034, EN 14126, EN 1073-2, EN 1149-5, DIN 32781, cat. III

Art. No.	Description	Unit
51208	Size S	1 unit
50266	Size M	1 unit
50265	Size L	1 unit
50319	Size XL	1 unit
50320	Size XXL	1 unit
53464	Size XXXL	1 unit





Disposable coverall Tyvek® classic Xpert with hood, type 5-B and 6-B
protects against harmful fine dust and splashes of liquid chemicals, particle-tight, antistatic, breathable, abrasion-proof, ultra-low linting, silicone free, 3-piece elastic hood for optimal fit and for use of the mask, Tyvek auto-lock zipper with cover flap, elasticated waist, cuffs and ankles, sleeves do not ride up, no thumb loops needed, ergonomic design allows full freedom of movement, colour: white
type 5 EN ISO 13982-1, type 6 EN ISO 17491-4 method A, EN 1149-5, EN 1073-2 EN14126, cat. III

Art. No.	Description	Unit
53229	Size M	1 unit
51611	Size L	1 unit
51618	Size XL	1 unit
52407	Size XXL	1 unit
52408	Size XXXL	1 unit

Disposable coverall with hood type 5 and 6

Imprint „Polizei“ in format 6 x 30cm
protects against harmful fine dust and splashes of liquid chemicals, particle-tight, antistatic, breathable, abrasion-proof and lint-free, 2-way zipper with adhesive cover flap, elasticated cuffs, waist and ankles, 3-piece hood with elastic band, lap-felled seam for excellent seam strength, thumb loop, colour: white
type 5 EN ISO 13982-1(&2), type 6 EN 13034, EN 1149-5, EN 1073-2, cat. III

Art. No.	Description	Unit
51112	Size S	1 unit
51113	Size M	1 unit
51114	Size L	1 unit
51115	Size XL	1 unit
51116	Size XXL	1 unit
51117	Size XXXL	1 unit

Imprint „Kriminaltechnik“ in format 6 x 36cm

Art. No.	Description	Unit
51118	Size S	1 unit
51119	Size M	1 unit
51120	Size L	1 unit
51121	Size XL	1 unit
51122	Size XXL	1 unit
51123	Size XXXL	1 unit

Pocket adhesive, white for disposable coverall, adhesive tape on 3 sides

Art. No.	Description	Unit
49222	18 x 15cm	10 units 1 package

Disposable seat cover, white, in dispenser box,
prevents transfer of fibres, hairs, particles etc.
Dimensions 820 x 1350mm, thickness 10my, 660mm neckline

Art. No.	Description	Unit
54173	Disposable seat cover, white	1 roll

